Classified Contents

Activated chars, from anthracite, 47
Adsorption, of CH_4/C_2H_6 mixtures on dry coal, 297
– of Ti on peat and coals, 221
Aliphatic groups, in coals, 160
Analysis, evaluation of methods by *SN* ratio, 247
– micro, justificn studies for coal, 120
– S, detn in fuels, with volumetric finish, 334
– – detn of total in coals, 190
Anthracitic vitrinites, optically biaxial, 180
Ash, from Australian coals, SiO_2/Al_2O_3 ratios, 278
Asphaltite, from Argentina, 156

Bitumens, attack by soil micro-organisms, 146
– changes during weathering, 32
– characterization by physical methods, 27
Boiler deposits, Na/ash reactions in formation, 170
Book Reviews, 93, 339
Boron trifluoride, destruction of caking propensities by, 44

Carbonaceous materials, catalysis of combustion by inorg. compds, 116
Carbonization, decompn of hydrocarbons in, a model, 228
– studies of heteroatom species in products from coals, 242
Carbonized coals, activated anthracite, 47
– Fe compds in, 150
– gasification in fluidized bed, models, 304
– i.r. spectra, 153, 194
– S, org., simulation tests, 10
– – removal by treatmt with gases, 329
Carbonized vitrinites, optical props, 88, 252, 322
Coals, abnormally metamorphosed, microhardness, 52
– adsn, of CH_4/C_2H_6 mixtures, 297
– – of Ti on, 221
– briquettes, petroleum residues as binders, 335
– brown, thermal dewatering, 290
– caking, destruction of caking propensities by BF_3, 44
– chemical constitution, nature of aliphatic groups, 160
– classificn by vitrinite reflectance, 64
– combustion of semi-anthracite, 312
– densities, apparent, in liquids, 108
– dielectric heating of, 332
– (etc., from lung tissue), evaluation of rank by TGA, 99
– – identificn by TGA, 116
– Gieseler fluidity of, comparative tests, 164
– H in, genetic and structural development, 284
– i.r. spectra, reassignments, 194
– lignites, mineral matter in, 224
– – mineralization of, 165
– – remission investigns, 104
– low-rank, factors influencing equilibrium moisture, 4

Coals *(continued)*
– microanalysis, justificn studies, 120
– molecules, smaller, 14, 22, 130, 235
– N_2, reaction with, in microwave discharge, 308
– oxidn and weathering of caking, 76
– pore structure, 108, 199, 272
– porosity to mercury, 199
– preheated, chloroform extn as caking test, 332
– pyrolysis by laser, 113
– SiO_2/Al_2O_3 ratios of Australian, 278
– S, removal by air oxidn, 125
– – removal by treatmt with gases, 329
– solvent extn, effects of, 89
– spontaneous heating, moisture desorptn and, 214
Cokes, blast-furnace, tensile strength, 206
– foundry, tensile strength, 174
– industrial, tensile strength and fissure formn, 81
– reactivity, influence of Na_2CO_3, 69
– SEM study of gasification, 57
Coking, factors inducing, 332
Combustion, of fuel-oil drops in flow field, 135
– internal burning of semi-anthracite, 312

Deposits, mineral, in boilers, 170

Editorials, 2, 98
Energy, factors in predicting use, 258
– use in the USA, 258

Flames, gas, effect of ambient air velocity on height, 202
– propane/air, onset of luminosity, 267
Fuels, evaluation of test methods by *SN* ratio, 247

Gas, flames, effect of ambient air velocity on height, 202
Gasification, coal chars in fluidized bed, models, 304
– coke, SEM study, 57
Gieseler fluidity, of coals, 164
Grindability, of coal/shale mixtures, 38

Hardness, micro, of abnormally metamorphosed coal, 52
Humic acids, degradation in Na_2S soln, 211
– methylated, oxidn with alk. $KMnO_4$, 185
Hydrocarbons, model of sec. decompn in carbonization, 228
Hydrocracking, of tars, 54
Hydrogen, in coals, genetic development, 284

Infra-red spectra, of coals, heat-treated, 153
– – reassignments, 194
– of opaque carbonaceous materials, 194
Iron compounds, in coal chars, 150
Isotopes, use in study of coal weathering, 76

Lasers, pyrolysis of coals, 113

Macerals, anthracitic vitrinites, optically biaxial, 180
– carbonized vitrinites, optical props, 88, 252, 322
– change in, 90
– from lignites, remission investigns, 104

Mass spectrometry, investign of heteroatom species in products from coal carbonization, 242
Microwave discharge, reaction of coal and N_2, 308
Mineral matter, SiO_2/Al_2O_3 ratios of Australian coals, 278
– in US lignites, composition, 224
Moisture, equilibrium content of low-rank coals, factors involved, 4
– and spontaneous heating of coals, 214
– thermal removal from brown coals, 290

Nitrogen, reaction with coal in microwave discharge, 308

Obituary, Dr Homer Hiram Lowry, 96
– Dr Richard A. Glenn, 254
Optical properties, anthracitic vitrinites, 180
– carbonized vitrinites, 88, 252, 322
Overseas Correspondents' Notes, 91, 167, 253, 337
Oxidation, and weathering of coking coals, 76

Peat, adsn of Ti on, 221
Petroleum, combustion of fuel-oil drops, 135
– S-rich residues as briquette binders, 335
Pore structure, activated anthracite, 47
– coals, 108, 199, 272
Propane, onset of luminosity in flame in air, 267
Pyrolysis, thiophene polymers, behaviour of S, 10

Reactivity, of coke, influence of Na_2CO_3 on, 69
– of semi-anthracite, and particle structure, 312
Reflectance, of vitrinite as coal classificn parameter, 64
Remission, studies, on lignite, 104

Scanning electron microscopy, of coke in gasification, 57
Shales, prediction of grindability of mixture with coal, 38
Solvent extraction, of coals, and caking props, 332
– effect on coals, 89
Spontaneous heating, of coals, moisture desorptn and, 214
Storch Award 1972, 338
Strength, of cokes, 81, 174, 206
Sulphur, in coals and chars, removal by treatmt with gases, 329
– Eschka detn with volumetric finish, 334
– organic, behaviour in pyrolysis, 10
– removal from coals by air oxidn, 125
– total, detn by oxygen-flask method, 190

Tars, l. t., composition of, 22
– rate of hydrocracking, 54
Thermogravimetric analysis, of carbonaceous materials from lung tissue, 116
– evaluation of coal rank in lung tissues, 99
Thermomagnetic studies, of Fe compds in chars, 150

Author Index

Adair, R. R., Boult, E. H. and Marsh, H.: Gasification of a blast-furnace coke. A study using scanning electron microscopy, 57

Agus, F. and Waters, P. L.: Predicting the grindability of coal/shale mixtures, 38

Ahmed, S. M. and Whalley, B. J. P.: Analysis of total sulphur in Canadian coals by a modified oxygen-flask method using Arsenazo (III), 190

– and Whalley, B. J. P.: A volumetric finish for Eschka analyses using Arsenazo (III), 334

Beckering, W.: see Paulson, L. E., Beckering, W. and Fowkes, W. W.

Beloff, E. J.: Minacar asphaltite: an asphaltite from Argentina, 156

Bergman, I.: A new method for evaluating the rank of coal from thermogravimetric curves: the identification of coal and soot isolated from pneumoconiotic lungs, 99

–: Thermogravimetric studies on carbonaceous materials isolated from lung tissue by digestion in phosphoric acid: the catalysis of combustion by inorganic materials, 116

Berkowitz, N.: see Chakrabartty, S. K. and Berkowitz, N.

Bhattacharyya, K. K.: The role of desorption of moisture from coal and its spontaneous heating, 214

Bienstock, D.: see Ruppel, T. C., Grein, C. T. and Bienstock, D.

Blaustein, B. D.: see Fu, Y. C., Blaustein, B. D. and Sharkey, A. G., Jr

Boow, J.: Sodium/ash reactions in the formation of fireside deposits in pulverized-fuel-fired boilers, 170

Boult, E. H.: see Adair, R. R., Boult, E. H. and Marsh, H.

Buchtele, J.: see Romovaček, J., Buchtele, J. and Weiser, O.

Burns, M. S., Miyazu, T. and Shibaoka, M.: Comparative tests of Gieseler fluidity of coals, 164

Carlson, G. L.: see Friedel, R. A. and Carlson, G. L.

Chakrabartty, S. K. and Berkowitz, N.: Properties of caking coals: destruction of caking propensities by boron trifluoride, 44

– and Kretschmer, H. O.: Studies on the structure of coals: Part 1. The nature of aliphatic groups, 160

Chandra, D.: Optical properties of carbonized vitrinites, 88

Chen, C. S.: see Shyu, R. R., Chen, C. S., Goudie, G. O. and El-Wakil, M. M.

Clugston, D. M.: see Ignasiak, B. S., Clugston, D. M. and Montgomery, D. S.

Cook, A. C., Murchison, D. G. and Scott, E.: Optically biaxial anthracitic vitrinites, 180

Das, B.: Microhardness of abnormally metamorphosed coal, 52

El-Wakil, M. M.: see Shyu, R. R., Chen, C. S., Goudie, G. O. and El-Wakil, M. M.

Entwistle, A. E.: see Hayes, M. H. B., Stacey, M., Standley, J. and Entwistle, A. E.

Eskenazy, Gr.: Adsorption of titanium on peat and coals, 221

Evans, D. G.: see Murray, J. B. and Evans, D. G.

Fowkes, W. W.: A note on the mineralization of lignite, 165

–: see Paulson, L. E., Beckering, W. and Fowkes, W. W.

Friedel, R. A.: see Karn, F. S., Friedel, R. A. and Sharkey, A. G., Jr

–: see Shultz, J. L., Kessler, T., Friedel, R. A. and Sharkey, A. G., Jr

– and Carlson, G. L.: Difficult carbonaceous materials and their infra-red and Raman spectra. Reassignments for coal spectra, 194

Fu, Y. C., Blaustein, B. D. and Sharkey, A. G., Jr: Reaction of coal with nitrogen in a microwave discharge, 308

Fujii, S.: see Shih, J. W., Ōsawa, Y. and Fujii S.

Fujimori, T. and Ishikawa, K.: Studies on the justification for microanalysis of coals, 120

– and Ishikawa, K.: Evaluation of testing methods for fuels using signal/noise ratio as a statistical criterion, 247

Gan, H., Nandi, S. P. and Walker, P. L., Jr: Nature of the porosity in American coals, 272

Ghosh, T. K.: A further study of change in coal macerals, 90

Goodarzi, F. and Murchison, D. G.: Optical properties of carbonized vitrinites, 322

Goudie, G. O.: see Shyu, R. R., Chen, C. S., Goudie, G. O. and El-Wakil, M. M.

Grein, C. T.: see Ruppel, T. C., Grein, C. T. and Bienstock, D.

Haggerty, J. F. and Pulsifer, A. H.: Modelling coal char gasification in a fluidized bed, 304

Hardman, J. S. and Lilley, B. A.: Some observations on the effect of solvents on coal particles, 89

Hayes, M. H. B., Stacey, M. and Standley, J.: Studies on bitumen: Part 1. Characterization of bitumen by use of physical methods, 27

–, Stacey, M. and Standley, J.: – Part 2. Changes in bitumen during weathering, 32

–, Stacey, M., Standley, J. and Entwistle, A. E.: – Part 3. Experiments on the biodegradation of bitumen by soil micro-organisms, 146

–, Stacey, M. and Swift, R. S.: Degradation of humic acid in a sodium sulphide solution, 211

Hill, B. J., Holmes, K. and Martin, D. G.: An experimental investigation of the influence of surrounding air velocity on the height of gaseous flames, 202

Hill, G. R.: see Qader, S. A., Wiser, W. H. and Hill, G. R.

Holmes, K.: see Hill, B. J., Holmes, K. and Martin, D. G.

Ignasiak, B. S., Clugston, D. M. and Montgomery, D. S.: Oxidation studies on coking coal related to weathering: Part 2. The distribution of absorbed oxygen in the products resulting from the pyrolysis of slightly oxidized coking coal, 76; corrigendum, 339

Ishikawa, K.: see Fujimori, T. and Ishikawa, K.

Karn, F. S., Friedel, R. A. and Sharkey, A. G., Jr: Studies of the solid and gaseous products from laser pyrolysis of coal, 113

Kessler, T.: see Shultz, J. L., Kessler, T., Friedel, R. A. and Sharkey, A. G., Jr

Kini, K. A.: see Sengupta, S. K., Krishnayya, V., Nandi, S. P., Kini, K. A. and Lahiri, A.

Kretschmer, H. O.: see Chakrabartty, S. K. and Kretschmer, H. O.

Krishnayya, V.: see Sengupta, S. K., Krishnayya, V., Nandi, S. P., Kini, K. A. and Lahiri, A.

Lahiri, A.: see Sengupta, S. K., Krishnayya, V., Nandi, S. P., Kini, K. A. and Lahiri, A.

Lilley, B. A.: see Hardman, J. S. and Lilley, B. A.

Lyall, K. D.: Sulphur-rich petroleum residues as binders for coal briquettes, 335

Marsh, H.: see Adair, R. R., Boult, E. H. and Marsh, H.

Marshall, R. J. and Murchison, D. G.: Optical properties of carbonized vitrinites – a reply, 252

Martin, D. G.: see Hill, B. J., Holmes, K. and Martin, D. G.

Maximov, O. B., Schapovalov, V. E. and Shvets, T. V.: Alkaline permanganate oxidation of methylated humic acids, 185

Mazumdar, B. K.: Hydrogen in coal: Part 1. Genetic and structural development, 284

McCartney, J. T. and Teichmüller, M.: Classification of coals according to degree of coalification by reflectance of the vitrinite component, 64

Miyazu, T.: see Burns, M. S., Miyazu, T. and Shibaoka, M.

Montgomery, D. S.: see Ignasiak, B. S., Clugston, D. M. and Montgomery, D. S.

Murchison, D. G.: see Cook, A. C., Murchison, D. G. and Scott, E.

–: see Goodarzi, F. and Murchison, D. G.

–: see Marshall, R. J. and Murchison, D. G.

Murray, I. and Sergeant, G. D.: The onset of luminosity in propane/air flames, 267

Murray, J. B. and Evans, D. G.: The brown coal/water system: Part 3. Thermal dewatering of brown coal, 290

Nandi, S. P.: see Gan, H., Nandi, S. P. and Walker, P. L., Jr

–: see Patel, R. L., Nandi, S. P. and Walker, P. L., Jr

–: see Sengupta, S. K., Krishnayya, V., Nandi, S. P., Kini, K. A. and Lahiri, A.

Nash, R. T. and Williamson, J. W.: Energy use in the United States, 1880–1966, 258

Ōsawa, Y.: see Shih, J. W., Ōsawa, Y. and Fujii, S.

Palmer, T. J. and Vahrman, M.: The smaller molecules obtainable from coal and their significance: Part 3. Steaming/carbonization of a weakly-caking coal at temperatures up to 600°C, 14

– and Vahrman, M.: – Part 4. Composition of low-temperature tars, 22

Patel, R. L., Nandi, S. P. and Walker, P. L., Jr: Molecular sieve characteristics of slightly activated anthracite, 47

Patrick, J. W. and Shaw, F. H.: Influence of sodium carbonate on coke reactivity, 69

– and Stacey, A. E.: The strength of industrial cokes: Part 1. Variability of tensile strength in relation to fissure formation, 81

–, Stacey, A. E. and Wilkinson, H. C.: – Part 2. Tensile strength of foundry cokes, 174

– and Stacey, A. E.: – Part 3. Tensile strength of blast-furnace cokes, 206

Paulson, L. E., Beckering, W. and Fowkes, W. W.: Separation and identification of minerals from Northern Great Plains Province lignite, 224

Pulsifer, A. H.: see Haggerty, J. F. and Pulsifer, A. H.

Qader, S. A., Wiser, W. H. and Hill, G. R.: Rate data of tar hydrocracking, 54
Richardson, J. T.: Thermo-magnetic studies of iron compounds in coal char, 150
Romovaček, J., Buchtele, J. and Weiser, O.: A model of the secondary decomposition of hydrocarbons during carbonization, 228
Ruppel, T. C., Grein, C. T. and Bienstock, D.: Adsorption of methane/ethane mixtures on dry coal at elevated pressure, 297
Sarkar, S.: Caking properties and the solvent extraction of preheated coals, 332
Schafer, H. N. S.: Factors affecting the equilibrium moisture contents of low-rank coals, 4
Schapovalov, V. E.: see Maximov, O. B., Schapovalov, V. E. and Shvets, T. V.
Scott, C. L. and Steedman, W.: Organic sulphur in coal: Part 3. The pyrolysis of Friedel–Crafts polymers of thiophene, 10
Scott, E.: see Cook, A. C., Murchison, D. G. and Scott, E.
Sengupta, S. K., Krishnayya, V., Nandi, S. P., Kini, K. A. and Lahiri, A.: Dielectric heating of non-coking coal: factors responsible for inducing coking properties, 332
Sergeant, G. D.: see Murray, I. and Sergeant, G. D.
Sharkey, A. G., Jr: see Fu, Y. C., Blaustein, B. D. and Sharkey, A. G., Jr
–: see Karn, F. S., Friedel, R. A. and Sharkey, A. G., Jr
–: see Shultz, J. L., Kessler, T., Friedel, R. A. and Sharkey, A. G., Jr
Shaw, F. H.: see Patrick, J. W. and Shaw, F. H.
Shibaoka, M.: Silica/alumina ratios of the ashes from some Australian coals, 278
–: see Burns, M. S., Miyazu, T. and Shibaoka, M.
Shih, J. W., Ōsawa, Y. and Fujii, S.: Infrared spectra of heat-treated coal, 153
Shultz, J. L., Kessler, T., Friedel, R. A. and Sharkey, A. G., Jr: High-resolution mass spectrometric investigation of heteroatom species in coal-carbonization products, 242
Shvets, T. V.: see Maximov, O. B., Shapovalov, V. E. and Shvets, T. V.
Shyu, R. R., Chen, C. S., Goudie, G. O. and El-Wakil, M. M.: Multi-component heavy fuel drop histories in a high-temperature flow field, 135
Sinha, R. K. and Walker, P. L., Jr: Removal of sulphur from coal by air oxidation at 350–450°C, 125
– and Walker, P. L., Jr: Desulphurization of coals and chars by treatment in various atmospheres between 400 and 600°C, 329
Šiškov, G. and Terebenina, A.: Remission investigations on lignites and maceral groups separated from them, 104
Smith, I. W. and Tyler, R. J.: Internal burning of pulverized semi-anthracite: the relation between particle structure and reactivity, 312
Stacey, A. E.: see Patrick, J. W. and Stacey, A. E.
–: see Patrick, J. W., Stacey, A. E. and Wilkinson, H. C.
Stacey, M.: see Hayes, M. H. B., Stacey, M. and Standley, J.
–: see Hayes, M. H. B., Stacey, M., Standley, J. and Entwistle, A. E.
–: see Hayes, M. H. B., Stacey, M. and Swift, R. S.
Standley, J.: see Hayes, M. H. B., Stacey, M. and Standley, J.
–: see Hayes, M. H. B., Stacey, M., Standley, J. and Entwistle, A. E.
Steedman, W.: see Scott, C. L. and Steedman, W.
Swift, R. S.: see Hayes, M. H. B., Stacey, M. and Swift, R. S.
Teichmüller, M.: see McCartney, J. T. and Teichmüller, M.
Terebenina, A.: see Šiškov, G. and Terebenina, A.
Toda, Y.: Densities of coals measured with various liquids, 108
– and Toyoda, S.: Application of mercury porosimetry to coal, 199
Toyoda, S.: see Toda, Y. and Toyoda, S.
Tyler, R. J.: see Smith, I. W. and Tyler, R. J.
Vahrman, M.: see Palmer, T. J. and Vahrman, M.
– and Watts, R. H.: The smaller molecules obtainable from coal and their significance: Part 5. Composition of vacuum tars, 130
– and Watts, R. H.: – Part 6. Hydrocarbons from coal heated in thin layers, 235
Walker, P. L., Jr: see Gan, H., Nandi, S. P. and Walker, P. L., Jr
–: see Patel, R. L., Nandi, S. P. and Walker, P. L., Jr
–: see Sinha, R. K. and Walker, P. L., Jr
Waters, P. L.: see Agus, F. and Waters, P. L.
Watts, R. H.: see Vahrman, M. and Watts, R. H.
Weiser, O.: see Romovaček, J., Buchtele, J. and Weiser, O.
Whalley, B. J. P.: see Ahmed, S. M. and Whalley, B. J. P.
Wilkinson, H. C.: see Patrick, J. W., Stacey, A. E. and Wilkinson, H. C.
Williamson, J. W.: see Nash, R. T. and Williamson, J. W.
Wiser, W. H.: see Qader, S. A., Wiser, W. H. and Hill, G. R.

Typeset by Mid-County Press, London SW19
Printed by Biddles Ltd., Guildford, Surrey